LARGE FORMAT PRINTER SURECOLOR SC-T3270/T5270/T7270/T5270D/T7270D





Developed with precision and consistency in mind, the Epson SureColor T-Series is engineered to produce precise and colourful prints consistently for every project. Using Epson's all-pigment UltraChrome™ XD ink and PrecisionCore™ printhead technology, you can be sure of conveying your ideas in the most detailed way possible.





Genuine inks



Effective





Resistant



SureColor SC-T3270



SureColor SC-T5270/T7270/ T5270D/T7270D

ENGINEERED FOR BUSINESS

Precision and Professional Output

The SureColor T-Series produces durable, quality prints. Print lines as thin as 0.02mm with a line accuracy of +/-0.1%, making it an ideal printer for CAD and 3D renderings.

Unparalleled Versatility

Print a wide range of applications with exceptional print quality, including architectural plans, maps, 3D rendering graphics, indoor signage and posters. **Exceptional Productivity Speed** Print documents at outstanding speeds of up to 2 A1 prints per minute.






Designed with the engineering profession in mind, the Epson SureColor T-Series ensures that you are empowered to print what you think with stunning quality and precision. Employing PrecisionCore technology, line placement is accurate to within +/- 0.1%, ensuring that your blueprints and graphics express what you really want them to.




Precision and Professional Output

Superior Precision and Quality

Utilising Epson's next-generation PrecisionCore printhead and Variable Size Dot Technology (VSDT), CAD documents and 3D architecture designs will be more accurate and colour consistent than ever before, with the industry-topping 10 nozzle lines* per printhead. Print precise lines as thin as 0.02mm with as little error as +/-0.1%, ensuring that you deliver your concept exactly how you want to. The PrecisionCore TFP printhead also removes the need for printhead replacements, avoiding the need to stock up on replacements, effectively providing you with a cost-effective printing solution.





The combination of both technologies allow the ink droplets to be controlled to the finesse of 3.5 picolitres.

Remarkable Archivability

In industries that are constantly exposed to various types of environments, prints have to be durable enough to withstand elemental challenges. Epson's all-pigment UltraChrome XD ink has a higher ink penetration on paper, providing you with tested high lightfastness, rub and water-resistant prints, ensuring that your prints can go anywhere you need them to.

Experience extremely long-lasting prints with minimum aging effects*. The Epson UltraChrome XD ink also grants you an accurate reference of previous jobs, and cuts costs by exempting you from having to reprint documents for reference.

Print sample aging test on gloss paper	0 year	Light 52 years	Ozone Gas 50 years	Ozone Gas 60 years
EPSON UltraChrome XD Ink	Signification of Street Balletin Sales 30-0018	Special Sales 30-Jose C	Special Side Special Side	Special Sales Special Sales 20-000
Brand A (Dye Ink)	Complex Deligner Interview of Special Sales 30-core	Grains Betrat Households Special Salas 305,075	Organic Resignation of the Control State 30-core	organic Designation of the Community September Stades 200-000
Brand B (Dye Ink)	Single Deligion Streetwist Special Subse 30-core	Organic Bellight Universities Special Sales 30-upre	Organisation Management Special Safe 30-08F	Un Table Berline Sammerre Spreaked Sales 20-007

"Light-and ozone-fashess is evaluated using the JETIA CP-3901 Digital Colour Photo Print Stability Evaluation lest methodology. Test conditions for light-fastness are set to simulate indoor condition illuminated by surlight through a glass window. Test conditions for ozone-fastness are set to simulate graphical deterioration from ozone gas in a standard home environment. Test results are indicative and for evaluation purposes only. Actual light-and ozone-fastness depends on prevailing storage and display conditions and are not guaranteed by the Seiko Epson Corporation.

Unparalleled Versatility

The Epson SureColor T-Series empowers you to produce a variety of prints with impeccable precision on a range of substrates, including 1.5mm thickboards. From architectural plans to maps and 3D renderings, print your required documents with confidence.



Indoor Signage





3D Rendering



GIS Map



Prints on 1.5mm media

With the add-on Epson T-Series MFP Scanner, you can expand the printer's application to include copying and scanning assorted media from newspapers to thickboard of up to 1.3mm.

Exceptional Productivity Speed

Print documents at outstanding speeds* of up to 2 A1 prints per minute for CAD documents, effectively assisting you in meeting deadlines and ensuring smooth business operations.

* Based on A1 plain paper printed via Speed mode.

POP

()	Media	Resolution (dpi)	Print size	Print speed
		360 x 720	A0^	50sec
Irmage size: A1:588×735mm *Size is based on Epson catalog		720 x 720	A1	66sec

[^]Applicable for T5270 / 5270D, 7270 / 7270D

CAD

	Media	Resolution (dpi)	Print size	Print speed	
- TAN - TAN		360 x 720	A1	30sec	
	Plain Paper	720 x 1440	A1	60sec	


Unrivalled Accessibility

The Epson SureColor T-Series features front access for all operations, allowing you to place it against a wall to free up more floor space for your other needs. This enables you to change paper settings and ink cartridges, and to operate the printer's control panel, all from the front.









Economical and Cost-effective

Competitive cost-per-page and cartridges sizes from 110ml to 700ml to suit different printing volume needs.








110ml 350ml 700ml

Streamlined Productivity*

With the Epson T-Series scanner and HDD upgrade, you are able to scan and share over the network or via e-mail, and even store files directly into your document management system. These features effectively smoothen workflow and increase workplace productivity.



Minimise downtime and save paper with automatic dual roll media design - automatically switch between 2 rolls of media at will.





Partners In Perfection



Epson SureColor" SC-P607/807

Brings out true quality in your photo collection. Epson's UltraChrome® HD ink set delivers unprecedented black density, true-to-life colour gradations and definitions. Epson is your choice for stunning, unforgettable photo results.



Epson SureColor" SC-B6070/7070

Epson combines the superbly reliable Micro Piezo printheads with an original high capacity ink tank system to deliver fast, cost effective and high quality large format printing.

Comprehensive, Versatile Product Range

An extensive line up of printer configurations tailored to your individual business needs.

Printout Size		24" Width	36"Width	44"Width
SINGLE FUNCTION	SINGLE ROLL	24" Stand Is available as an option only	SC-T5270	SC-T7270
SINGLE FUNCTION	DUAL ROLL		SC-T5270D	SC-T7270D
MULTI-FUNCTION PRINTER	DUAL ROLL print scan copy		SC-T5270D MFP	SC-T7270D MFP

The SureColor T-Series can be tailored to suit your business requirements. Epson understands that as your business grows, so do your needs. The SureColor T-Series features certain upgrades including:

Add-ons available	SC-T3270	SC-T5270	SC-T7270	SC-T5270D	SC-T7270D	SC-T5270DMFP	SC-T7270DMFP
Printer stand	x						
36" Scanner with stand		×	x	x	х		
Automatic take up reel			x				
320GB HDD*	x	x	х	x	x	x	x
Adobe PostScript 3 Expansion Unit (including 320GB HDD)*	x	×	x	x	x	x	x
Additional Roll media adapter	x	x	x	x	x	x	x

[&]quot;All printers have only one slot available for either "320GB HDD" or "Adobe PostScript 3 Expansion Unit

1. 320GB HDD

Enjoy greater productivity by adding the 320GB Internal Print Server to your printing line. Store up to 500 jobs on your SureColor T-Series for prompt printing without resending the data from a computer.



2. Adobe® PostScrip® 3 Expansion Unit

Purchase Adobe PostScript 3 Expansion Unit to complement the Epson SureColor T-Series and be empowered to print directly with any Adobe software without the need for external drivers. Coupled with the 320GB Internal Print Server, the Adobe PostScript 3 Expansion Unit primes the T-series printer for maximum printing efficiency.

3. Automatic Take Up Reel**

Automate the collection of the finished printed product, allowing for continual printing of high volume print jobs.





** Available only for \$C-T7270

4. Epson T-Series MFP Scanner

The 36" scanner provides you with a scanning feature for assorted media up to 1.3mm thick directly into your 320GB HDD. Be free to transfer the image to another SureColor T-Series printer, send it to a recipient via e-mail, or to store the image on your workspace shared folder or CIFS.



Additional Roll Media Adapter

The Additional Roll Media Adapter allows you to store an extra roll of substrate within the machine, giving you the option to mechanically switch between the two media samples to print on at will.

The Epson SureColor T-Series also uses a spindle-less roll holder that guarantees the operator's height will not hamper your work process, while making it easy to reload paper rapidly during peak periods.

SURECOLOR SC-T3270/T5270/T7270/T5270D/T7270D



				Cin	ale Function	LED		Multifum	ction LFP	The same and the s			
Model Name			SC-T3270	SC-T5270	gle Function SC-T7270	SC-T5270D	SC-T7270D	SC-T5270DMFP	SC-T7270DMFP	_ Dimensions and Weight			
Printer Width &	§ Туре		24" Single Roll (without stand)	36" Single Roll	44" Single Roll		44" Dual Roll		44" Dual Roll	SureColor SC-T3270 Weight: Approx 54kg (119lb) withou Approx 67kg (147.71lb) with Dimension: 1,050mm x 691mm x 61			
Print	Technology		PrecisionCor	e TFP Printhe	(without stand)								
	Section 2 Section 2015	configuration	-	each colour ()	1,070mm (42.1")								
	-	n Resolution	2880x1440 dp										
		n Ink Droplet Volume	3.5pl										
				c /A1 Speed	mode/w/cut)	9				1,117mm			
	Print Speed Approx. 28 sec /A1 Speed mode(w/cut) Line Accuracy +/-0.1% Based on Max Quality 1440×1440dpl with High Speed On at 23°C, 50% RH on EPSON Singleweight Matte Paper							N Singleweight	(44")				
	Minimun	n line width	0.02mm							1,050mi			
	Ink	Types	Epson UltraC	hrome XD All	Pigment ink					SC-T3270 (with Stand) (41.3")			
	System	Colours	Cyan, Magent	ta, Yellow, Pho	oto Black, Ma	tte Black							
		Capacity	110ml / 350m	I / 700ml						7.0			
	Paper Handling		Single top-loading roll feed, Manual top-loading sheet fed, Manual front-loading thick board feed		Two automatic roll feeds (top- and front-loading), Manual top-loading sheet fed, Manual front-loading thick board feed		(top- and front-loading), Manual top-loading sheet fed, Manual front-loading thick board		SureColor SC-T5270/T5270D Weight: Approx 84kg (185.2lb) Single F Approx 118kg (260.2lb) Dual R 1,405mm (55.3")				
	Paper Size	Rolls (0.08mm - 0.5mm thickness; max roll diameter 150mm)	254 - 610mm width	254 - 914mm width	254-1,118mm width	254 - 914mm width	254 - 1,118mm width	254 - 914mm width	254 - 1,118mm width	1,128mm			
		Sheets (0.09mm - 0.9mm thickness)	210 - 610mm width	210 - 914mm width	210 -1,118mm width	210 - 914mm width	210 - 1,119mm width	210 - 914mm width	210 - 1,118mm width	(44.4°)			
	Thick board 0.8 - 1.5mm thickness								1				
	Borderle	ess Printing	Available							SC-T5270 1,070			
Scan	Scan Sp	****						(3.3Inch/sec)	e: Up to 8.4cm/sec	c -			
	-	py Resolution						Up to 600 dpl		_			
	Scan Siz	es						Width: 153 to 96 38inches; Length: 153 to 2 96inches); Thickness: 0.05	438.4xmm (6 to	SureColor SC-T7270/T7270D Weight: Approx 92kg (202.8lb) Single Roll Approx 138kg (293.2lb) Dual 1.606mm			
	Features	ı						Scan to Folder, S to HDD, Scan to	Scan to Mall, Scan Share*	(63.3")			
Сору	Copy Sp	eed						Up to 39 sec (A1 colour copy)	size, 300 dpi	1,128mm (44.4")			
	Reduction	on/Enlargement						25 to 400%					
	Maximur	m Copies						Up to 99 coples					
	Copier S	settings						Quality, Density, 0 Background, Sh ment Type (5 typ		SC-T7270D 1,070 (42:			
Control Panel			2.7 Inch Colo	ur LCD									
Memory	Hard Dis	k	Optional 320	GB				320GB**					
Connectivity	Interface	es (standard)	HI-Speed USI	B, 10BASE-T/1	= 1								
	Print Lar	nguages (standard)	ESC/P raster, HP-GL/2,HP RTL							-			
	Print Lar	nguages (optional)	Adobe® PostScript® 3; Adobe PDF 1.7 (via Adobe® PostScript® 3™ Expansion Unit) In-Built 5GB RAM							Ī			
	Drivers I	ncluded	PC: Windows XP/Vista/7/8/8.1 (32/64bit); Windows Server 2003 Standard/Standard 64bit, 2008 Standard/Standard 64bit /R2, 2012 or later Macintosh: MacOSX10.5.8 or later							-			
Software	Standard	d (Bundled)	LFP Print Plug-in for Office, EPSON LFP Remote Panel 2, EpsonNet Config, EpsonNet Print (Windows only)						et Print	 Feature allows transfer of images between Epse T-series Multifunction Printers. 			
	Option (Web Download) Epson LFP HDD Utility, LFP Accounting Tool, EPSON Copy Factory							"Multifunction LFP requires either 320GB Hard - Unit or Adobe Post Script Expansion Unit with				
Recommended			PC: Windows	8.1/8/7/Vista/X	P, 3.05GHz C	ore 2 Duo, mo	PC: Windows8.1/8//Vista/XP, 3.05GHz Core 2 Duo, more than 1GB RAM, 32GB hard disk space; Macintosh: Mac OS X(10.5.8 or later), 3.05GHz Core 2 Duo, more than 1GB RAM, 32GB hard disk space						

EPSON INDIA PVT. LTD.

Regional Offices:

12th Floor, The Millenia, Tower A, No. 1, Murphy Road, Ulsoor, Bangalore - 560 008. Tel: 080-30515000 Fax: 080-30515005 New Delhi - 3312 0300/01, Pune - 3028 6000/05

CONTACT EPSON TODAY! EMAIL: vasu@eid.epson.co.in

SOUTH Alok Singh 098405 03210, Harishankar 098802 85075 NORTH Akhtar Imam 099101 08780, Ashutosh Kumar 098153 94550, Sudhir Kumar 093898 35156 EAST Source Kumar 098746 72616 WEST Millind 098209 74733, Devendra 098509 49453.







SPECIFICATIONS

SURECOLOR SC-T3270/T5270/T7270/T5270D/T7270D



			02	Sir	ngle Function	LFP	. 1	Multifun	ction LFP	Dimensions and Weight			
Model Name			SC-T3270	SC-T5270	SC-T7270	SC-T5270D	SC-T7270D	SC-T5270DMFP	SC-T7270DMFP				
Printer Width & Type		24" Single Roll (without stand)	36" Single Roll	44" Single Roll	36" Dual Roll	44" Dual Roll	36" Dual Roll	44" Dual Roll	SureColor SC-T5270D Multi Function Printe Weight: Approx 168kg (370.3lb) Dual Roi 1,530mm (60.6")				
Power	Power Requirements		Input voltage	AC 100-240V	50/60Hz / 1.	0A-0.5A							
Requirements	Power	Operating	Approx. 52 W	Approx. 60 W	Approx. 64 W	Approx. 61W	Approx. 65 W	Approx. 61W	Approx. 65 W				
	Consumption	Ready	Approx. 16 W	Approx. 16 W	Approx. 16 W	Approx. 17 W	7 W Approx. 17 W	17 W Approx. 17 W	Approx. 17 W	1,321mm (52")			
	(Printer)	Sleep	Approx. 3.0 W	1			78			(32)			
		Power off (Stand-by)	Less than 0.5	w									
	Recommende Temperature 8			- 80% RH (no		703				SC-T5270 1,074mm (42.3")			
	Recommende Temperature 8	-	-20 - 40°C;5	- 85% RH (no	n-condensin	g)				-11			
	Acoustic Sou	ind Pressure	Approx. 50dB	(A) (operating	g) / Approx. 3	1dB(A) (Sleep))						
	Acoustic Sou		-	(A) (operating						- SureColor SC-T7270D Multi Function Prints			
Dimensions / Weight	Dimension (WxDxH)		1,050mm x 691mm x 613mm / 1,050mm x 1,070mm x 1,117mm (w/ Stand)	1,405mm x 1,070mm x 1,128mm	1,608mm x 1,070mm x 1,128mm	1,405mm x 1,070mm x 1,128mm	1,608mm x 1,070mm x 1,128mm	1,539mm x 1,074mm x 1,321mm	1,742mm x 1,074mm x 1,321mm	Weight: Approx 184kg (405.7ib) Dual Rol 1,742mm (68.5")			
	Weight (without ink cart- ridges)		Approx. 54kg / 67kg (w/ Stand)	Approx. 84kg	Approx. 92kg	Approx. 118kg	Approx. 133kg	Approx. 168kg	Approx. 184kg	1,321mm (52")			
Options	Hard Disk Unit - 320GB Internal Print Server		C12C848031							SC-17270 107Amm			
	Hardware RIP Software	Adobe® PostScript® 3™ Expansion Unit (Hardware RIP with 320GB HDD)	C12C891131		_ SC-17270 1,074mm (42.3 °)								
	Printer Stand		C12C844171				2		, =	7/			
	MFP Scanner		-		C120	891071				*00			
	MFP Scanner Stand			C12C844151	C12C844161	C12C844151	C12C844161			4			
	Automatic Take-up Reel Unit & Attachment				C12C815321 & C12C815411					•			
	Additional Ro Adapter	Additional Roll Media C12C811401 Adapter								 Ø 2017 Epson India Pvt. Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. 			
Consumables	Photo Black	Ink Cartridge	C13T692100 (110ml) / C13T693100 (350ml) / C13T694100 (700ml)							EPSON and EXCEED YOUR VISION are registered			
	Cyan Ink Cartridge		C13T692200 (110ml) / C13T693200 (350ml) / C13T694200 (700ml)							 Irademarks of Selko Epson Corporation. All other products names and other company names used 			
	Magenta ink Cartridge		C13T692300 (110ml) / C13T693300 (350ml) / C13T694300 (700ml)							harein are for identification purposes only and are			
	Yellow Ink Ca	artridge	C13T692400 (110ml) / C13T693400 (350ml) / C13T694400 (700ml)							 the trademarks or registered trademarks of their respective owners. Epson disclaims any and all 			
	Matte Black I	nk Cartridge	C13T692500	(110ml) / C131	7693500 (350n	nl) / C13T6945	00 (700ml)			rights in those marks. Print samples shown are simulations only. Specifications and product			
	Replacement ance Box	ink Mainten-	C13T619300							availability are subject to change without notice and may vary between countries. Please check with local			
	Replacement Blade	Printer Cutter	C13S902007							Epson offices for more information.			

Information correct at time of printing Printed January 2018

EPSON INDIA PVT. LTD.

Regional Offices:

12th Floor, The Millenia, Tower A, No.1,

Ahmedabad - 3314 8500, Chennai - 3967 7500, Cochin - 4012 315,

Murphy Road, Ulsoor, Bangalore - 560 008. Coimbatore - 98942 19200, Hyderabad - 6463 9640/41, Kolkata - 6500 9370/77, Mumbai - 3079 8200, Tel: 080-30515000 Fax: 080-30515005 New Delhi - 3312 0300/01, Pune - 3028 6000/05

www.epson.co.in

CONTACT EPSON TODAY! EMAIL: vasu@eid.epson.co.in

SOUTH Alok Singh 098405 03210, Harishankar 098802 85075 NORTH Alchtar Imam 099101 08780, Ashutosh Kumar 098153 94550, Sudhir Kumar 093898 35156 EAST Sourov Kumar 098746 72616 WEST Milind 098209 74733, Devendra 098509 49453.



Epson Helpline: For product info or service - 1800 425 0011 For service - 1860 3000 1600 (9AM - 6PM) (Mon - Sat) Email: Ifp@epsonindia.in

Dealer's Stamp

