

XEROX® PRIMELINK® COLOR PRINTER

Ready to Impress



C9065 AND C9070

xerox™

Xerox® PrimeLink® C9065 and C9070 Color Printer

Looking for a way to raise eyebrows, drop jaws and add more "wow" to your projects? This is the printer to help you do it. From color fidelity to media latitude, automation to finishing, the Xerox® PrimeLink C9065/C9070 is engineered to help people in creative industries deliver stunning outputs and make great first

COLOR THAT MATCHES YOUR VISION

When a customer sees the colors they've been dreaming of and their eyes light up — that's when you know you're doing something right.

With 2400 x 2400 dpi resolution, you get outstanding fine-line detail and text with vivid images and smooth color transitions — even at speeds of up to 70 ppm. Choose EFI servers with embedded PANTONE® technologies such as PANTONE® GOE and PANTONE® PLUS ensure the colors you want are the colors you get.

And a combination of Xerox® Emulsion Aggregation (EA) toner with ultra-low melt technology, precise +/- 1.2 mm front-to-back registration and Simple Image Quality Adjustment (SIQA) means you get offset-level polish from your first print to your last.

TOOLS THAT MAKE IT EASY TO IMPRESS ON ANY TIMELINE

Looming deadlines are the norm. Now, there's no reason to compromise. Adding a Xerox® PrimeLink C9065/C9070 to your arsenal is like giving every member of your team their own personal assistant.

Designed to promote multitasking and collaboration, it's customizable to suit your work style. Get empowered with three EFI server choices that offer more capacities and more volume. Simply choose the best fit based on your business applications, and the level of automation and color accuracy you need.

The printer also has access to the Xerox App Gallery with dozens of powerful apps to help you do more — and do it fast. Need to create a personalized workflow, automate complex tasks, print and scan directly to and from the cloud? Xerox® PrimeLink C9065/C9070 has got you covered with apps like:

- Connect 2.0 for Box®
- Connect 2.0 for Microsoft® OneDrive®
- Connect 2.0 for Google Drive™
- Connect 2.0 for Dropbox™
- Connect 2.0 for Microsoft Office 365™

There's also built-in mobile connectivity to keep your team on-task when they're on the go:

- Near Field Communication (NFC) Tap-to-Pair
- Optional Wi-Fi with Wi-Fi Direct®
- @printbyXerox
- Google Cloud Print

It's all there with the touch of a button. Say yes to more, and Xerox® PrimeLink C9065/C9070 will help you deliver.

FINISH STRONG

Why send a job out when you could just do it yourself? The media latitude on Xerox® PrimeLink C9065/C9070 is best-in-class, allowing you to move in and out of specialty coated stocks and heavyweight stocks up to 350 gsm. The Extra-Long Sheet capability allows printing up to 26" (660 mm). High volume feeding options mean you can print long runs without worrying about refilling the

paper tray. And the finishing options — from full-bleed trimmed booklets to punch, crease and fold — are professional-quality, easy to navigate and nearly endless. To name just a few:

- Xerox® Interface Decurler Module — Ensure rapid finishing with reliably flat sheets.
- Xerox® Inserter — Easily insert preprinted or blank media into printed documents.
- GBC® AdvancedPunch Pro™ — Create bound documents in-house by printing, punching and collating in a single step.
- Xerox® Crease and Two-sided Trimmer — Even the edges of your prints or booklets and crease the spine automatically.
- Xerox® C/Z Folder — Produce Z-fold, C-Fold and Engineering Z-Fold on-demand.
- Xerox® Production Ready Finisher Booklet Maker — Create high-quality stapled booklets.
- Xerox® SquareFold® Trimmer Module — Perfect your booklets with square folding of cover sheets and face trimming.



Xerox® PrimeLink® C9065/C9070 Color Printer

1 Two-Tray Oversized High Capacity Feeder:

Adds 4,000 sheets in sizes up to 13 x 19 in./SRA3/330 x 488 mm (up to 350 gsm).

2 Extra-Long Sheet (XLS) Capability: Print banners, book jackets, calendars and other applications up to 26 in. (660 mm) long.

3 Control Panel: An intuitive user interface makes it simple to access general print, copy, scan and fax functions, integrated color server, useful Xerox® App Gallery Apps, color controls, security features and much more.

4 Integrated Scanner: Single Pass Automatic Document Feeder scans up to 270 impressions per minute; 600 dots per inch color up to 11x17/A3. Scan to a variety of output options; desktop, USB, mailbox, FTP, SFTP, NDS, SMB and Job Flow multi-destination scanning.

5 Xerox® PrimeLink C9065/C9070 Printer: Prints, copies, scans and faxes all while delivering stunning color image quality at a highly productive 70 ppm color and 75 ppm black & white.

6 Four Internal Trays (Standard): Includes a 12 x 18 in./SRA3 trays and Bypass Tray max weight up to 350 gsm and up to 660 mm sheet size. Standard paper capacity 3.

7 Xerox® Interface Decurler Module: Inline paper cooling and decurler unit improves throughput and efficiency, connecting Production Ready finishing modules, ensuring flat sheets for reliability and speed.

8 Xerox Inserter: Insert preprinted or blank media into printed documents with a tray capacity of 250 sheets, sheet sizes up to 13.0 x 19.2 in. (330 x 488 mm) and 350 gsm.

9 GBC® AdvancedPunch Pro™: Lets you create bound documents in-house by combining printing, punching and collating into one convenient step. Choose the punch to fit your needs.

10 Xerox® Crease and Two-sided Trimmer:

Trims 6-25 mm from the head and foot of prints or booklets to produce an even edge and creases spine.

11 Xerox® C/Z Folder: Produces Z-fold, C-Fold and Engineering Z-Fold.

12 Xerox® Production Ready Finisher Booklet

Maker: Ensures consistent high-quality stapled sets for small or large documents with a variable-length stapler, single or dual stapling option and a 100 sheet capacity. Plus, creates stapled booklets up to 30 sheets or 120 imposed pages.

13 Xerox® SquareFold Trimmer Module: Enhances the power of the Production Ready finishing with square fold of cover sheets and face trimming to produce booklets.

ADDITIONAL FEEDING AND FINISHING OPTIONS NOT PICTURED

- Offset Catch Tray — 500-sheet stacking.
- Xerox® Production Ready Finisher — Produces superior quality finishing and stacking with built-in bi-directional decurler.
- Xerox® Production Ready Finisher Plus — Provides same function as the Production Ready Finisher with a 500-sheet top tray and 2,000-sheet stacker tray. Used to connect third-party inline finishing options.
- Xerox® Business Ready Finisher — A lighter-duty option for finishing and stacking and staples up to 50 sheets uncoated/15 coated.
- Xerox® Business Ready Booklet Maker Finisher — Provides booklet making capability.
- Xerox® Basic Punch — An option for punching 2/3, 2/4 and Swedish 4-hole on the Production Ready Finisher and Booklet Maker.

- Plockmatic Pro 50/35 Booklet Maker — Highest quality production booklets up to 200 pages (50 sheets). Face trimming, square fold, rotate crease and bleed trim.
- One Tray Oversized High Capacity Feeder — Adds 2,000 sheets in sizes from 7.2 x 10 in./182 x 250 mm (B5) to 13 x 26 in./330 x 660 mm.
- One Tray Xerox® High Capacity Feeder — Holds 2,000 sheets of 8.5 x 11 in. (A4) paper, 64–220 gsm.
- Convenience Stapler staples up to 50 sheets of 20 lb./80 gsm media.

PROTECT YOUR WORK WITH PEAK SECURITY

The Xerox® PrimeLink C9065/C9070 applies a strategic approach to security to keep your network and projects safe from prying eyes. Stop suspicious activity where it starts with our comprehensive approach to intrusion prevention:

- Multiple layers of security include data encryption, disk overwrite and industry certifications.
- Secure Print holds documents for release until you're ready to retrieve them.
- Secure Scanning includes password protection for PDFs and folders, as well as encryption for scanning to email.

Xerox® PrimeLink® C9065 and C9070 Color Printer

DEVICE SPECIFICATIONS	PRIMELINK® C9065	PRIMELINK® C9070
SIMPLEX SPEEDS	Color	Black-and-white
8.5 x 11 in. / A4	Up to 65 ppm	Up to 70 ppm
11 x 17 in. / A3	Up to 33 ppm	Up to 35 ppm
12 x 18 in. / SRA3	Up to 29 ppm	Up to 30 ppm
AUTO DUPLEX SPEEDS	Color	Black-and-white
8.5 x 11 in. / A4	Up to 65 ipm 2-sided 32 sheets per minute	Up to 70 ipm 2-sided 35 sheets per minute
11 x 17 in. / A3	Up to 33 ppm 2-sided 16 sheets per minute	Up to 35 ppm 2-sided 16 sheets per minute
Monthly Duty Cycle	Up to 300,000 pages (maximum volume capacity expected in any one month, not expected to be sustained on a regular basis). ¹	
Average Monthly Print Volume (AMPV)	10,000 to 50,000 pages per month ²	
First-Print-Out Time	PS- A4 LEF Simplex Color 10.4 seconds / Black-and-white 8.5 seconds	
Paper Flexibility/Weights	Capacity: Tray 1 & 2: 500 sheets, Tray 3: 870 sheets, Tray 4: 1,140 sheets Sizes: Tray 1: 5.5 x 8.5 in. to 12 x 18 in. / A5 to SRA3; Tray 2: 5.5 x 8.5 in. to 11 x 17 in. / A5 to A3; Tray 3: 7.25 x 10.5 in., 8.5 x 11 in. / B5, A4; Tray 4: 7.25 x 10.5 in., 8.5 x 11 in. / B5, A4	
Print Technology	Benchmark image quality with 2400 x 2400 dpi resolution and EA Eco with ultra-low melt technology toner for a smooth, offset-like finish	
Line Screens	600, 300, 200 and 150 Clustered Dot, 200 Rotated Line Screen (depending on print server / controller selected)	
Registration	<ul style="list-style-type: none"> Advanced registration technology for tighter control Simple Image Quality Adjustment (SIQA) for de-skew, registration and density uniformity (available on all configurations) +/- 1.2 mm front-to-back registration 	
Print Features	<ul style="list-style-type: none"> Print, copy, fax and scan, including Scan to PC, USB or Email, and mobile printing Expansive media range lets you print everything from postcards to posters, both coated and uncoated stock, up to 350 gsm Xerox Extensible Interface Platform® (EIP) allows you to connect to third-party software solutions that you can access from the touch-screen of the device or on your own mobile device. Inline finishing options offer a professional polish with banner printing, stapling, hole-punching, folding and booklet making for presentations, brochures, reports and newsletters Be secure with integrated security features such as IP filtering, image overwrite, secure print, encrypted Scan to Email, authentication and IPv6 support 	
Optional Print Servers	<ul style="list-style-type: none"> Xerox® EX-i C9065/C9070 Print Server Powered by Fiery® Xerox® EX-c C9065/C9070 Print Server Powered by Fiery® Xerox® EX C9065/C9070 Print Server Powered by Fiery® 	
Integrated Scanner	<ul style="list-style-type: none"> Single-pass Duplex Automatic Document Feeder Color scanner Scan to a variety of output options 250-sheet capacity Up to 270 ipm (Color / Black-and-White) Originals up to 11 x 17 in. (A3) in weights from 38 gsm (16 lb. bond) to 200 gsm (53 lb. bond) 	
Optional Feeding	High Capacity Feeder (HCF): 2,000 sheets; 7.25 x 10.5 in., 8.5 x 11 in. / 184.2 x 266.7 mm, 279.4 x 215.9 mm (B5, A4); 16 lb. bond to 60 lb. cover / 64 to 220 gsm (uncoated and coated) Optional Oversized High Capacity Feeder (OHCF): ¹ Tray OHCF: 2,000 sheets plus Storage Cabinet; 2 Tray OHCF: 7.2 x 10 in. / 182 x 250 mm (B5) to 13 x 26 in. / 330x660 mm; 16 lb. bond to 110 lb. cover / 60 to 350 gsm (uncoated and coated) ² Tray OHCF: 4,000 sheets; 4 x 6 in. / 102 x 152 mm to 13 x 26 in. / 330x660 mm; 16 lb. bond to 110 lb. cover / 60 to 350 gsm (uncoated and coated)	
Optional Finishing	Business Ready Finisher: Offsetting Top Tray: 500-sheets 8.5 x 11 in. / A4 unstapled, Stacking Stapling Tray: 3,000 sheets unstapled or 100 sets (dual or 4-position staple) 11x17 in., 8.5 x 14 in., A3 or 200 sets (single-position staple) 8.5 x 11 in. / A4, Sizes: Stacking: 4 x 6 in. to 12 x 19 in. / A6 to SRA3, Stapling: 7.25 x 10.5 in. to 11 x 17 in. / B5 to A3. Other: 5.5 x 8.5 in. / A5 output to top tray; punch and offset. Paper weights: Top Tray-16 lb. bond to 110 lb. cover / 60 to 350 gsm (coated and uncoated), Stacker Tray-16 lb. bond to 110 lb. cover / 60 to 256 gsm (coated and uncoated) Business Ready Finisher Booklet Maker Finisher: Offsetting Top Tray: 500-sheets 8.5 x 11 in. / A4 unstapled, Stacking Stapling Tray: 1,500 sheets unstapled or 200 sets (single position stapling or dual or 4-position staple) or 100 stapled sets of 11 x 17 in. / A3 / SRA3. 11x17 in., 8.5 x 14 in., A3 or 200 sets (single-position staple) 8.5 x 11 in. / A4, Sizes: Stacking: 4 x 6 in. to 12 x 19 in. / A6 to SRA3, Stapling: 7.25 x 10.5 in. to 11 x 17 in. / B5 to A3. Other: 5.5 x 8.5 in. / A5 output to top tray; punch and offset. Paper weights: Top Tray-16 lb. bond to 110 lb. cover / 60 to 350 gsm (coated and uncoated), Stacker Tray-16 lb. bond to 110 lb. cover / 60 to 256 gsm (coated and uncoated), Booklet Maker-16 lb. bond to 110 lb. cover / 60 to 256 gsm (coated and uncoated), Booklet Maker-Saddle-stitch 2 to 16 sheets (7 sheets at 106 to 176 gsm coated or 5 sheets at 177 to 220 gsm coated), Bi-fold up Production Ready Finisher (requires Interface Decurler Module): Produces superior quality finishing and stacking with built-in bi-directional decurler. Staple up to 100 sheets (90 gsm) uncoated and 35 sheets (90 gsm) coated stock using standard or custom sizes (maximum 11.7 x 17"/297 x 432 mm to minimum 7.2 x 5.7"/ 182 x 146 mm) with variable-length staples on stocks up to 350 gsm. Add optional Punch, Inserter or C/Z Folder. Includes two output trays, 500-sheet top tray, finish up to 3,000-sheet stack tray of maximum 13 x 19.2" (330 x 488 mm) to minimum 5.83 x 5.75" (148 x 146 mm). Production Ready Finisher with Booklet Maker: Provides booklet making with features of the Production Ready Finisher. Includes a third tray for saddle-stitch booklets up to 120 pages (30 sheets/90 gsm uncoated—25 sheets/90 gsm coated). Includes a 500-sheet top tray and 2,000-sheet stack tray. Create big booklets (maximum sheet 13 x 19.2"/330 x 488 mm) to small booklets (7.17 x 10.1"/182 x 257 mm) on uncoated and coated stocks up to 350 gsm; half-fold unstapled up to 5 sheets (216 gsm) on stock up to 350 gsm. Xerox® SquareFold® Trimmer Module: Creates flat finished booklets with the appearance of bound book-like edge; eliminate shingle effect with professional face trim up to 120 pages (30 sheets). Combine with the Crease and Two-Sided Trimmer for finished full bleed booklets. For the Production Ready Finisher and Booklet Maker. C Fold / Z Fold Unit: Produces sheets with C or Z folds for 8.5 x 11" (A4), half-Z fold on larger stocks reducing to 8.5 x 11" (A4) on 64–90 gsm uncoated. For the Production Ready Finisher and Booklet Maker.	

Configurations vary by geographical location.

■ DIGITAL, NETWORKED, B/W, COLOUR COPIERS ■ MULTIFUNCTION PRODUCTS
 ■ PRINT PRODUCTION & PUBLISHING SYSTEMS ■ INDUSTRY DOCUMENT MANAGEMENT SOLUTIONS ■ OFFICE SUPPLIES

Call: ASK XEROX
 1800 103 1225 (Toll Free)
 01 205022000

Email: digital.print.india@xerox.com

Website: www.xerox.com/india



Xerox India Limited., 5th Floor, Block One, Vatika Business Park, Sector-49, Sohna Road, Gurgaon-122018, Haryana (India) Tel: +91 124 4463000

©2019 Xerox Corporation. All rights reserved. Xerox® and Xerox and Design® are trademarks of Xerox Corporation in the United States and/or other countries.

While the information contained in this brochure is correct at the time of going to the press, Xerox India Limited reserves the right to change the specifications of the equipment described here in without any notice.

